

PIPE SCHEDULES

Nominal Size	OD	Schedule 20 Thickness	Standard Weight Thickness	Schedule 40 Thickness	Schedule 80 Thickness	Schedule 120 Thickness	Schedule 160 Thickness	X-Strong Thickness	XX Strong Thickness	
1/8	0.405		0.068	0.068	0.095			0.095		
1/4	0.540		0.088	0.088	0.199			0.119		
3/8	0.675		0.091	0.091	0.126			0.126		
1/2	0.840		0.109	0.109	0.147		0.188	0.147		0.294
3/4	1.050		0.113	0.113	0.154		0.219	0.154		0.308
1	1.315		0.133	0.133	0.179		0.250	0.179		0.358
1 1/4	1.660		0.140	0.140	0.191		0.250	0.191		0.382
1 1/2	1.990		0.145	0.145	0.200		0.281	0.200		0.400
2	2.375		0.154	0.154	0.218		0.344	0.218		0.436
2 1/2	2.875		0.203	0.203	0.276		0.375	0.276		0.552
3	3.500		0.216	0.216	0.300		0.438	0.300		0.600
3 1/2	4.000		0.226	0.226	0.318			0.318		
4	4.500			0.237	0.237		0.337	0.438		0.531
5	5.563		0.258	0.258	0.375	0.500	0.625	0.375	0.750	
6	6.625		0.280	0.280	0.432	0.562	0.719	0.432	0.864	
8	8.625	0.250	0.322	0.322	0.500	0.719	0.906	0.500	0.875	
10	10.750	0.250	0.365	0.365	0.594	0.844	1.125	0.500	1.000	
12	12.750	0.250	0.375	0.406	0.688	1.000	1.312	0.500	1.000	
14	14.000	0.312	0.375	0.438	0.750	1.094	1.406	0.500		
16	16.000	0.312	0.375	0.500	0.844	1.219	1.594	0.500		
18	18.000	0.312	0.375	0.562	0.938	1.375	1.781	0.500		
20	20.000	0.375	0.375	0.594	1.031	1.500	1.969	0.500		
22	22.000	0.375	0.375		1.125	1.625	2.125	0.500		
24	24.000	0.375	0.375	0.688	1.219	1.812	2.344	0.500		
26	26.000	0.500	0.375					0.500		
28	28.000	0.500	0.375					0.500		
30	30.000	0.500	0.375					0.500		